

SUPPLEMENTARY TABLE

Supplementary Table 1. Different genera corresponding to the intestinal microbiota of the donor and recipient.

Group	Dominant group	Taxa	P-value	q-value
Donor	LZ	<i>Adlercreutzia</i>	0.000999	0.000404
	LZ	<i>Allobaculum</i>	0.000999	0.000404
	LZ	<i>Bacteroides</i>	0.000999	0.000404
	LZ	<i>Dorea</i>	0.000999	0.000404
	LZ	[<i>Ruminococcus</i>]	0.000999	0.000404
	LZ	<i>Turicibacter</i>	0.000999	0.000404
	LZ	<i>Bifidobacterium</i>	0.001998	0.000588
	LZ	<i>SMB53</i>	0.001998	0.000588
	LZ	<i>Sutterella</i>	0.001998	0.000588
	LZ	<i>Blautia</i>	0.016983	0.003667
	LZ	<i>Parabacteroides</i>	0.018981	0.003775
	LZ	<i>Roseburia</i>	0.020979	0.003775
	LZ	<i>Ruminococcus</i>	0.020979	0.003775
	LZ	<i>Akkermansia</i>	0.025974	0.004206
	ZDF	<i>Coprobacillus</i>	0.000999	0.000404
	ZDF	<i>Prevotella</i>	0.000999	0.000404
	ZDF	<i>Faecalibacterium</i>	0.006993	0.001887
	ZDF	<i>Candidatus_Arthromitus</i>	0.010989	0.002738
	ZDF	<i>Marvinbryantia</i>	0.015984	0.003667
	ZDF	<i>Holdemanina</i>	0.023976	0.004087
Recipient	LZ	<i>Lactobacillus</i>	0.000999	0.009365
	LZ	<i>Roseburia</i>	0.012827	0.101737
	LZ	<i>Coprococcus</i>	0.015984	0.037874
	LZ	<i>Allobaculum</i>	0.000999	0.037204
	LZ	<i>Rothia</i>	0.004995	0.032776
	LZ	<i>Clostridium</i>	0.003996	0.043003
	ZDF	<i>Bacteroides</i>	0.002997	0.074407

non-parametric t-test for testing.