

SUPPLEMENTARY TABLE

Supplementary Table 1. Real-time quantitative PCR primers used in this study.

primers	sequences	Amplicon length
U6-RT	GTCGTATCCAGTGCAGGGTCCGAGGTATTCGCACTGG ATACGACCAAATATGGAAC	94
U6-F	CTCGCTTCGGCAGCAC	
U6-R	AACGCTTCACGAATTTGCGT	
hsa-miR-340-3p-RT1	GTCGTATCCAGTGCAGGGTCCGAGGTATTCGCACTGG ATACGACCgctataaa	64
hsa-miR-340-3p-F1	ATGGTTCGTGGGTCCGTCTCAG	
Com R	GTGCAGGGTCCGAGGT	
hsa-miR-593-3p-RT1	GTCGTATCCAGTGCAGGGTCCGAGGTATTCGCACTGG ATACGACCagaaacc	62
hsa-miR-593-3p-F1	ATGGTTCGTGGGTGTCTCTGC	
Com R	GTGCAGGGTCCGAGGT	
hsa-miR-6827-3p-RT1	GTCGTATCCAGTGCAGGGTCCGAGGTATTCGCACTGG ATACGACCctgggaa	65
hsa-miR-6827-3p-F1	ATGGTTCGTGGGACCGTCTCTTC	
Com R	GTGCAGGGTCCGAGGT	